

SRLL[®]
COMPLETE ELEVATOR SOLUTIONS

it is not coincidence that **we are everywhere**



Elevators



Escalators
Walking Way



Disabled
Lifts



Elevator
Components

Hakkımızda

"Kaliteli ürün ve müşterilerine dünya standartlarında çözüm sunmak" ilkesiyle yola çıkan SRL ASANSÖR, kurulduğu günden günümüze kadar sektöründe adından söz ettiren firmalardan olmayı başarmıştır.

Konya'da 4500m2 kapalı alanda yüksek teknolojiye sahip makine parkuru ve konusunda uzmanlaşmış teknik kadrosuyla uluslararası standartlara uygun asansör kabini ve asansör kumadan panoları üretimini sürdüren SRL ASANSÖR, yürüttüğü Ar-Ge odaklı üretim çalışmalarıyla ürün çeşitliliğini sürekli artırmaktadır.

TS EN ISO 9001:2008 Kalite Yönetim Sistemi çerçevesinde üretim faaliyetlerini sürdüren SRL Asansör, 30 ülkeye paket asansör ve yürüyen merdiven sistemleri ihraç etmektedir.

Kalite Politikamız

SRL Asansör, uluslararası standartlarında üretim yapmakta ve bu standartları üretim stratejisi olarak benimsemektedir.

Misyonumuz

Ürün ve hizmet kalitemizi sürekli geliştirerek müşteri talep ve beklentilerini en üst seviyede karşılamaktır.

Vizyonumuz

Sektörde etkinliğini ve verimliliğini arttırmak amacıyla kendisini geliştiren ve yenileyen bir uluslararası firma olmak.

About Us

SRL ELEVATOR was founded with the principle of "providing high quality products and solutions to its customers according to the world standards". SRL has become one of the companies that have been talking about their brand in the elevator sector from day to day.

SRL Elevator is manufacturing elevator cabins and elevator controllers according to the international standards in 4500m2 indoor areas involving a high technology and a qualified technical staff, planted on the region of Konya in Turkey. SRL Elevator continuously increases its product range based on the last discoveries of R & D along its production process.

The SRL Elevator continuing its production activities within the framework of TS EN ISO 9001: 2008 Quality Management System and exports complete lifts and escalators to 30 countries.

Our Quality Policy

SRL Elevator manufacturing products according to international standards and adopted this standards as a production strategy.

Our Mission

To meet customer demands and expectations at the highest level providing a constant improvement of our products and service quality.

Our Vision

To be an international company that develops and renews itself in order to increase its efficiency and productivity in the sector worldwide.





SRL 129

www.srlsensors.com

Özellikler

Yan Duvarlar : High Gloss
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Antibakteriyel PVC
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : High Gloss
Rear Panel : Half size Mirror
Ceiling : Laser
Floor : Antibacterial PVC
Accessories : Mirror Stainless
Handrail : 32 mm stainless

SRL 130

www.srlasansor.com

Özellikler

Yan Duvarlar : High Gloss
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : High Gloss
Rear Panel : Half size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm stainless





SRL 131

www.srlsensors.com

Özellikler

Yan Duvarlar : High Gloss
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : High Gloss
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 132

www.srlsensors.com

Özellikler

Yan Duvarlar : Satine Paslanmaz
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 133

www.srlsensors.com

Özellikler

Yan Duvarlar : High Gloss
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : High Gloss
Rear Panel : Half Size Mirror
Ceiling : Lazer
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 134

www.srlsancor.com

Özellikler

Yan Duvarlar : Satine Paslanmaz
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 135

www.srlsensors.com

Özellikler

- Yan Duvarlar : Cam + High Gloss
- Arka Duvar : Tam Boy Ayna
- Tavan : Lazer
- Taban: Granit
- Aksesuar : Ayna Paslanmaz
- Küpeste : 32 mm Paslanmaz

Specifications

- Side Panels : Mirror & High Gloss
- Rear Panel : Full Size Mirror
- Ceiling : Lazer
- Floor: Granite
- Accessories : Mirror Stainless
- Handrail : 32 mm Stainless

SRL 136

www.srlsancor.com

Özellikler

Yan Duvarlar : Lamine Cam
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Laminated Glass
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 137

www.srlsancor.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Lazer
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 138

www.srlsancor.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 139

www.srlsancor.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Satine Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Steel Stainless
Handrail : 32 mm Stainless

SRL 140

www.srlasansor.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Antibakteriyal PVC
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 141

www.srlsensors.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 142

www.srlsancor.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 143

www.srlsensors.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 144

www.srlsancisi.com

Özellikler

Yan Duvarlar : Lamine Cam
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Laminated Glass
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 145

www.srlsensors.com

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Antibakteriyel PVC
Aksesuar : Ayna Paslanmaz
Küpeşte : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Antibacterial PVC
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 146

www.srlasansor.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 147

www.srlsensors.com

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 148

www.srlsancor.com

Özellikler

Yan Duvarlar : Dekoratif
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Decorative
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 149

www.srlsansasor.com

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Antibakteriyel PVC
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Antibacterial PVC
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 150

www.srlasansol.com

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 151

www.srlsensors.com

Özellikler

Yan Duvarlar : Dekoratif
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Yan Duvarlar : Decorative
Arka Duvar : Full Size Mirror
Tavan : Laser
Taban : Granite
Aksesuar : Mirror Stainless
Küpeste : 32 mm Stainless

SRL 152

www.srlsancar.com

Özellikler

Yan Duvarlar : Membran (Baskılı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(picture print)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless



SRL
Complete Elevator Solutions

SRL 153

www.srlsensors.com

Özellikler

Yan Duvarlar : Membran (Parcalı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(Sectional)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless

SRL 154

www.srlsancor.com

Özellikler

Yan Duvarlar : Membran (Parçalı)
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
(Sectional)
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : 32 mm Stainless





SRL 155

www.srlsensors.com

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Dekoratif
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
Rear Panel : Full size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Decorative
Handrail : 32 mm Stainless

SRL 156

www.srlsancak.com

Özellikler

Yan Duvarlar : Lamine Cam
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Dekoratif
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Laminated Glass
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Decorative
Handrail : 32 mm Stainless





SRL 157

www.srlsensors.com

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Dekoratif
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Decorative
Handrail : 32 mm Stainless

SRL 158

www.srlsolutions.com

Özellikler

Yan Duvarlar : Dekoratif Tas
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Dekoratif
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Decorative Stone
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Decorative
Handrail : 32 mm Stainless

SRL
Complete Elevator Solutions



SRL
Complete Elevator Solutions

SRL 159

www.srlsensors.com

Özellikler

- Yan Duvarlar : Membran
- Arka Duvar : Tam Boy Ayna
- Tavan : Lazer
- Taban : Granit
- Aksesuar : Dekoratif
- Küpeste : Dekoratif

Specifications

- Side Panels : Membrane
- Rear Panel : Full Size Mirror
- Ceiling : Laser
- Floor : Granite
- Accessories : Decorative
- Handrail : 32 mm Stainless

SRL 160

www.srlsancor.com

Özellikler

Yan Duvarlar : Membran
Arka Duvar : Tam Boy Ayna
Tavan : Lazer
Taban : Granit
Aksesuar : Dekoratif
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Membrane
Rear Panel : Full Size Mirror
Ceiling : Laser
Floor : Granite
Accessories : Decorative
Handrail : 32 mm Stainless





SRL 161

www.srlsensors.com

Özellikler

Yan Duvarlar : Ral Boyalı
Arka Duvar : Ral Boyalı
Tavan : Ral Boyalı
Taban : Antibakteriyel PVC
Aksesuar : Ahşap Korumalık
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Ral Painted
Rear Panel : Ral Painted
Ceiling : Ral Painted
Floor : Antibacterial PVC
Accessories : Wooden
Handrail : 32 mm Stainless

SRL 162

www.srlasansor.com

Özellikler

Yan Duvarlar : Satine Paslanmaz
Arka Duvar : Yarım Boy Ayna
Tavan : Lazer
Taban : Antibakteriyel PVC
Aksesuar : Ayna Paslanmaz
Satine Paslanmaz Korumalık
Küpeste : 32 mm Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Half Size Mirror
Ceiling : Laser
Floor : Antibacterial PVC
Accessories : Stainless Steel
Handrail : 32 mm Stainless





SRL 163/A



SRL 163/B



SRL 163/C



SRL 163/D



SRL 163

www.srlsanson.com

Özellikler

Yan Duvarlar : Satine Paslanmaz
Arka Duvar : Cam
Tavan : Lazer Tavan
Taban : Granit
Aksesuar : Ayna Paslanmaz
Küpeste : Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Glass
Ceiling : Laser
Floor : Granite
Accessories : Mirror Stainless
Handrail : Stainless

SRL 164

www.srlasansor.com

Özellikler

Yan Duvarlar : Paslanmaz
Arka Duvar : Paslanmaz
Tavan : Paslanmaz
Taban : Paslanmaz

Specifications

Side Panels : Stainless Steel
Rear Panel : Stainless Steel
Ceiling : Stainless Steel
Floor : Stainless Steel






STA-101



STA-102



STA-103



STA-104




STA-105



STA-106



STA-107




STA-108



STA-109



STA-110



STA-111



STA-112



STA-113



STA-114



STA-115




STA-116




STA-117



STA-118





SPK-001



SPK-002



SPK-003



SPK-004



SPK-005



SPK-006



SPK-007




SPK-008



SPK-009



SPK-010



SPK-011



SPK-012



SPK-013



SPK-014



SPK-015






SPK-016




SPK-017




SPK-018







1:1 MR




2:1 MR




2:1 MR




4:1 MR




2:1 MR




1:1 HDR



2:1 MRL




4:1 MRL




2:1 L HDR




1:1 L MRL



1:1 L HDR




2:1 T HDR






Landing Doors / Kat Kapıları



Cabin Doors / Kabin Kapıları



2 Panel Automatic Doors
2 Panel Otomatik Kapılar



Landing Doors / Kat Kapıları



Cabin Doors / Kabin Kapıları



3 Panel Automatic Doors
3 Panel Otomatik Kapılar






Landing Doors / Kat Kapıları



Cabin Doors / Kabin Kapıları



4 Panel Automatic Doors
4 Panel Otomatik Kapılar



Landing Doors / Kat Kapıları



Cabin Doors / Kabin Kapıları



6 Panel Automatic Doors
6 Panel Otomatik Kapılar



W Types Folding Car Doors
W Tipi Katlanır Kabin Kapıları



D Types Folding Car Doors
D Tipi Katlanır Kabin Kapıları



SA-101



SA-102



SA-110



SA-103



SA-106



SA-111



ANAHTAR TESLİM ÇÖZÜMLER

TURN-KEY SOLUTIONS





SG-001



SG-002



SG-003



SG-004



SG-005



SG-006



SG-007



SG-008



SL-001



SL-002



SL-003



SL-004



SL-005



SL-006



SL-007



SL-008



SCP-101



SCP-102



SCP-103



SCP-105



SCP-104

Tahrik Sistemi

- Halatlı
 - Tek Hızlı
 - Çift Hızlı
 - Kademesiz Hızlı
 - Senkron Makine
 - Asenkron Makine
- Hidrolik

Kapı Sistemleri

- Yarı Otomatik
- Tam Otomatik
- Çift Otomatik Kapı

Kurtarıcı Sistemi

- Pano İçine Entegre
- Harici

Kumanda Sistemi

- Basit Kumanda
- Yukarı / Aşağı Toplama
- Çift Buton Toplama
- Grup Kumanda

Kabin ve Kuyu Tesisatı

- Kabin Seri - Kat Seri
- Kabin Seri - Kat Paralel
- Kabin Paralel - Kat Paralel

Kabin Pozisyon Bilgisi

- Manyetik Şalterler ile
- Enkoderli Sistem ile

Uygunluk


- EN 81-1/2+A3

Traction System

- Rope System
 - Single Speed
 - Two Speed
 - Speed Controlled
 - Gearless
 - Geared
- Hydraulic



ML70S



ML65X



ARL-300



ARL-200



HD-ONE X S

Door Types

- Semi Automatic
- Full Automatic
- Side Selective



ADrive



MEIDEN



Fuji Frenic



LS

Rescue System

- Integrated into Control Panel
- External



Trafo/Transformer



UPS



Direnc/Resistance



Filtre/Filter

Command Type

- Simple Push Button
- Up / Down Collective
- Selective Collective
- Group Operation

Cabin and Landing Installation

- Serial Cabin & Serial Landing
- Serial Cabin & Parallel Landing
- Parallel Cabin & Parallel Landing

Cabin Positioning

- With Magnetic Switches
- With Encoder

Compatibility

- EN 81-1/2+A3



SCB-01



SCB-02



SCB-03



SCB-04



SCB-05



SCB-06



SCB-07



SCB-08



SCB-09



SLB-01



SLB-02



SLB-03



SLB-04



SLB-05



SLB-06



SLB-07



SLB-08



SLB-09



SLB-10



SLB-11



SLB-12



SLB-13



SLB-14



SLB-15

Esnek Yassı Asansör Kablosu
Flat Flexible Cables



Esnek Yassı Asansör Kablosu
Flat Flexible Cables



Diafon Kablosu / Diafon
Cables



Damar Kesiti - Kesit Number Of Cores And Section	Yaklaşık Dış Çapı Core Diameter	Bakır Ağırlığı Copper Weight	Yaklaşık Ağırlık Approximate Weight	Sevk Uzunluğu Delivery Length
<i>n x mm²</i>	<i>mm</i>	<i>kg/km</i>	<i>kg/km</i>	<i>m</i>
4 x 0,25	4,30	9,6	26,2	100 / 500 / 1000
8 x 0,25	6,20	19,2	49,2	100 / 500 / 1000
12 x 0,25	7,00	28,8	67,0	100 / 500 / 1000
13 x 0,25	7,10	31,2	71,15	100 / 500 / 1000

NYA Kablosu / NYA Cables



Damar Kesiti Number Of Cores And Section	Yaklaşık Dış Çapı Core Diameter	70 C'de En Düşük Yalıtım Direnci Min. Insulation Resistans at 70 C
<i>mm²</i>	<i>mm</i>	<i>mohm / km</i>
0,50	2,00	0,014
0,75	2,20	0,013
1	2,30	0,011
1,5	2,80	0,011
2,5	3,40	0,010
4	3,80	0,0087
6	4,30	0,0074
10	5,50	0,0072

NYAF Kablosu / NYAF Cables



Damar Kesiti Number Of Cores And Section	Yaklaşık Dış Çapı Core Diameter	70 C'de En Düşük Yalıtım Direnci Min. Insulation Resistans at 70 C
<i>mm²</i>	<i>mm</i>	<i>mohm / km</i>
0,50	2,10	0,014
0,75	2,30	0,012
1	2,50	0,011
1,5	2,90	0,010
2,5	3,50	0,0095
4	4,35	0,0078
6	4,80	0,068
10	6,20	0,0065

Tip Kodu Article Number	Damar Sayısı + Kesit Number of Cores + Nominal Cross-Section	Dış Boyu (Yaklaşık) Overall Dimensions (approx.) mm
N12G075	12G X 0,75	4,3 X 34
N16G075	16G X 0,75	4,3 X 45
N20G075	20G X 0,75	4,3 X 55
N24G075	24G X 0,75	4,3 X 66
N30G075	30G X 0,75	4,3 X 78

RAYLAR/GUIDE RAILS



Cold Drawn Guide Rails

T50 / A - 50*50*5
T70 / A - 70*65*9
T82 / A - 82*68*9
T89 / A - 89*62*16
T90 / A - 90*75*16

Machined Guide Rails

T70 / B - 70*65*9
T75 / B - 75*62*10
T89 / B - 89*62*16
T90 / B - 90*75*16
T114 / B - 114*89*16
T125 / B - 125*82*16
T127-2 / B - 127*89*16



Fishplates/Flanş



Brackets/Konsollar



Anchor bolt / Dübel




T-Clips/Tirnaklar

ROPES/HALATLAR



6 mm elevator ropes
6,5 mm elevator ropes
8 mm elevator ropes



10 mm elevator ropes
11 mm elevator ropes
12 mm elevator ropes
13 mm elevator ropes



Rope Attachments / Halat Şişesi



Rope Clips / Halat Klemensi



Compensation Chain / Denge Zinciri



Rope Holder / Halat Tutucu



Chain Pulley / Zincir Makarası



SP-001



SP-002



SP-003



SP-004



SP-005



SP-006



SP-007



SP-008




SP-009



SP-010



SP-011



SP-012



SP-013



SP-014



SP-015



SP-016



SP-017



SP-018



SP-019



SP-020



SP-021



SP-022




SP-023



SP-024



SP-025



SP-026



SP-027



SP-028



SP-029



SP-030



SP-031



SP-032



SP-033



SP-034



SP-035



SP-036



SP-037



SP-038



SP-039



SP-040



SP-041



SP-042



SP-043



SP-044



SP-045



SP-046



SP-047



SP-048

ŞEHİRLERİN YÜKSELEN MARKASI



SRL®
COMPLETE ELEVATOR SOLUTIONS

BRAND OF RISING CITIES

Türkiye




Elevators



Escalators
Walking Way



Disabled
Lifts



Açıklama

Montaj asansörleri 0,15 m/sn. ile 0,50 m/sn. arasında yapılırlar. Genellikle otel,restaurant ve villalarda mutfaktan yemek,tepsi ve bardak taşıyabilmek için uygulanırlar. Montaj asansörleri aslında küçük birer yük asansörleridir. Bu asansörler 40 kg'dan 250 kg kapasiteye kadar yapılabilirler. Montaj asansörlerde de hijyen önemli olduğundan paslanmaz çelik kabin ve kapılar tercih edilir. Yemek asansörlerinin rahat kullanımı için dilediğiniz şekilde içlerine raf yaptırabilirsiniz. Bu şekilde alandan daha çok faydalanırsınız. Bu da dolayısıyla zamandan ve enerjiden tasarruf etmenizi sağlar.

Description

With loading at serving height and load carrying capacities up to 500kg, the standard our Service Lifts cover most food transport applications. To satisfy hygiene demands, Stainless steel shelves and floors are supplied as standard. Other stainless steel surface finishes are available as an option. A special seamless hygienic car is available as an option for more rigorous requirements. Car protection is an important consideration when moving food as are the optional heated compartments. Automatic "hands free" doors are available as an option on this range of lifts. A bottom drive variant is available for applications where low headroom is a problem.

Servis Asansörü / Dumbwaiter Lifts

KULLANIM / USAGE	Bar, Restaurant, Villa ve Hastaneler / Bars, Restaurants, Villas and Hospitals
KAPASITE / RATED LOADS (KG)	40 - 500
MAKİNE DAİRESİ / MACHINE ROOM	Yukarı veya Yanda / Above or to side
SEYİR MESAFESİ / MAXIMUM TRAVEL	Tamburla 20m, Kasnakla 60m / 20m with Drum, 60m with Pulley
DURAK SAYISI / MAXIMUM STOPS	20
BEYAN HIZI / CAR SPEED (M/S)	0.15-0,50
TAHRİK ŞEKLİ / DRIVE TYPE	Tek hızlı / Traction drive





Açıklama

Standartlara uygun olarak tesis edilecek olan, bir makina motor grubu veya senkron motor grubu tarafında tahrik edilen asansörler genel anlamda elektrikli asansörler olarak adlandırılır. Elektrikli asansörler; tahrik kasnağı aracılığıyla sürtünme ile, tahrikli tambur aracılığı ile, tahrikli ve zincir ile tahrikli asansör olarak alt sınıflara ayrılabilir. Genel anlamda yapılarda kullanılan asansörler tahrik kasnağı aracılığı ile sürtünme ile tahrikli asansörlerdir. Bu açıdan tambur aracılığı ile ve zincir ile tahrikli asansörler, kullanım azlığından dolayı göz önünde bulundurulmamıştır. Genel olarak aynı özellikleri taşımalarına rağmen tahrik sisteminin asansör kuyusunda veya ayrıca oluşturulan makina dairesinde bulunması bu sınıflandırmaya neden olmuştur.


Description

The development of the electronic driving of lift motors VVVF together with the demand for long travels, brought the classic traction lift again to the market. Following a policy of qualitative choices, a complete range of traction lift packages is offered, satisfying all kinds of applications.

Elektrik Tahrikli Asansörü / Geared Traction Elevators

KULLANIM / USAGE	Villa, Panoramik, Yolcu, Özürlü, Hastane, Arça ve Yük Asansörleri Villa, Panoramic, Passenger, Disabled, Hospital, Car, Freight Elevators
KAPASITE / RATED LOADS (KG)	320 Kg. -5000 Kg.
MAKİNE DAİRESİ / MACHINE ROOM	Yukarı, Yan ve Aşağı / Top, Side, Bottom
SEYİR MESAFESİ / MAXIMUM TRAVEL	70m
DURAK SAYISI / MAXIMUM STOPS	24
BEYAN HIZI / CAR SPEED (M/S)	3,2m/s
MOTOR TİPİ / MOTOR TYPE	Dişli (VVVF ve Çift Hız) / Geared (VVVF, 2AC)
KUYU DİBİ / PIT DEPTH (MINIMUM)	1400
ÜST BOŞLUK / HEADROOM (MINIMUM)	3600
GİRİŞ SAYISI / MAXIMUM CAR ENTRANCES	2





Açıklama

Makine dairesiz asansörlerimizin, 24 kata kadar olan binalarda, 2500 kg. kapasiteye ve 2.00 m/sn hıza kadar, tesis edilebilme imkanı vardır. Makine dairesiz yüksek kapasiteli asansörler özellikle yolcu terminaleri, çok katlı mağazalar, alışveriş merkezleri ile eğitim, kültür ve sağlık kuruluşları için uygun bir çözüm oluşturmaktadır. Geleneksel motorlara göre % 40'a varan enerji tasarrufunun yanısıra, dişli kutusunun olmaması nedeniyle yıpranma son derece az olmaktadır. Sistemin yağsız olması çevre kirliliği ve yangın tehlikesini tamamen ortadan kaldırmaktadır. VVVF kontrolü ise son derece sessiz ve konforlu bir seyir sağlarken, düşük motor devri de sistemin sistemin güvenliğini en üst düzeye çıkartmaktadır.


Description

Our Traction Machine Roomless (MRL) solution for rated loads up to 2500 kg. It is equipped with a premium quality gearless motor and a state of the art inverter that lead to an outstanding ride quality, eliminate noise and achieve very low energy consumption. Furthermore, all lift components are cleverly designed to achieve efficient use of space inside the shaft as well as ease of installation and maintenance.

MRL Asansör Özellikleri / MRL Lifts Specification

KULLANIM / USAGE	Villa, Panoramik, Yolcu, Özürlü, Hastane, Arça ve Yük Asansörleri Villa, Panoramic, Passenger, Disabled, Hospital, Car, Freight Elevators
KAPASİTE / RATED LOADS (PERSONS/KG)	320 Kg. - 2500 Kg.
SEYİR MESAFESİ / MAXIMUM TRAVEL	100 m
DURAK SAYISI / MAXIMUM STOPS	33
BEYAN HIZI / CAR SPEED (M/S)	2.50 m/s
MOTOR TİPİ / MOTOR TYPE	Gearless VVVF
KUYU DİBİ / PIT DEPTH (MINIMUM)	1300 mm (150 mm)
ÜST BOŞLUK / HEADROOM (MINIMUM)	3600 (2700 mm)
GİRİŞ SAYISI / MAXIMUM CAR ENTRANCES	3





Açıklama

- 1,2 m/s azami hız, açık ara en sessiz hidrolik sistem
- Smooth Start / Smooth Stop, ekstra yumuşak duruş/kalkış
- Full elektronik valfli hassas ve mutlak kontrol
- 1,5 – 4,5 kW monofaze hidrolik tanklar
- 2,7 – 75 kW trifaze hidrolik tanklar
- 8 – 650 l/dak pompa sistemleri
- Maxi ç, uzun ömürlü valf sistemleri
- 50 – 280 mm pistonlar
- 2 ve 3 kademeli teleskopik pistonlar
- Yandan 1/1 – 2/1 tek veya çift piston sistemler
- Alttan direkt etkili sistemler
- 2 veya 3 noktadan bölünmüş eklenebilir pistonlar
- “CE” belgeli orijinal Karkaslar


Description

- 1.2 m/s maximum speed, the most quiet hydraulic system
- Smooth Start / Stop Smooth, extra soft stop / start
- Sensitive and absolute full electronic valve control
- 1,5 - 4,5 KW single phase hydraulic tanks
- 2.7 to 75 kW three-phase hydraulic tanks
- 8-650 l / min pump systems
- Maxi coil, long-lasting valve systems
- 50-280 mm pistons
- 2 and 3-stage telescopic cylinders
- Side 1/1 - 2/1 for single or double piston system
- Bottom of the direct-acting systems
- 2 or 3 points that can be added to split from the pistons
- “CE” certified original Carcasses

Hidrolik Asansörler / Hydraulic Elevators

KULLANIM / USAGEV	İlla, Panoramik, Yolcu, Özürlü, Hastane, Arça ve Yük Asansörleri Villa, Panoramic, Passenger, Disabled, Hospital, Car, Freight Elevators
KAPASİTE / RATED LOADS (PERSONS/KG)	200 Kg. - 10.000 Kg.
DURAK SAYISI / MAXIMUM STOPS	28 m
BEYAN HIZI / CAR SPEED (M/S)	0.63
MOTOR TİPİ / MOTOR TYPE	Hidrolik Tahrikli / Hydraulic Electronic
KUYU DİBİ / PIT DEPTH (MINIMUM)	1400 (500)
ÜST BOŞLUK / HEADROOM (MINIMUM)	3600 (2500)
GİRİŞ SAYISI / MAXIMUM CAR ENTRANCES	3







SAFETY

The SRL range of escalators and moving walkways goes that one step further in terms of technology, efficiency and adaptability. A wide range of possibilities ensures that each choice fits perfectly, no matter what the specifics of each case may be.

ADAPTABILITY

Each design is assessed as a whole, which allows us to combine different lift solutions, complementing each other to perfection. A team vision which also applies to the overall development of the design.


ESCALATORS		
TYPES	Comercial 	Heavy Duty 
Installation	Indoor/Outdoor (*)	
Working hours (hours per day)	16 hours	20-24 hours
Capacity (persons per hour)	Up to 7300	
Inclination (°)	30° / 35°	
Speed (m/s)	0.5 / 0.65	
Width of tread (mm)	600/800/1000	
Vertical rise (m)	2.0 m to 7.5 m	2.0m to 12 m
Motor Type	One Speed-VVVF	



EFFICIENCY


Our range includes options which can support very high levels of traffic, offering optimum performance in extremely demanding conditions such as those at an airport or metro station.

RELIABILITY

The SRL range is backed up by a team of experts who work on each stage of the design development and on the subsequent performance of the product, even from the design of each model.



MOVING WALKWAYS		
TYPES	Trolley 	Long way 
Installation	Indoor/Outdoor (*)	
Working hours (hours per day)	16 hours	
Capacity (persons per hour)	Up to 6000	
Inclination (°)	10° / 11°/12°	0° / 6°
Speed (m/s)	0.5	
Width of tread (mm)	800/1000	1000/1200/1400
Vertical rise (m)	2m-8m	0-8m
Motor Type	One Speed-VVVF	



ASANSÖR TİPİ				KABİN			KAPI		KUYU				MAKİNE DAİRESİ		
Kapasite	Hız (m/s)	Tahrik Tipi	Genişlik DW	Derinlik CD	Yükseklik CH	Genişlik DW	Yükseklik DH	Genişlik SW	Derinlik SD	Kapı Dış SP	Kapı İçü Sh	Genişlik MSW	Derinlik MFD	Yükseklik MSH	
300 Kg/4 Kış	0,63	Elektrik Mekanik	900	1000	2200	700	2000	1400(11400P)	1600	1400	3400	1600	3200	2000 ^A	
	1,00														
	1,6														
	0,63														
	1,00														
	1,6														
400 Kg/5 Kış	0,63	Elektrik Mekanik	1100	1000	2200	800	2000	1600(1800P)	1600	1400	3700	3200	3400	2000 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
600 Kg/8 Kış	0,63	Elektrik Mekanik	1100	1400	2200	800	2000	1750(2200P)	1800	1400	3800	3500	3500	2000 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
1000 Kg/13 Kış	0,63	Elektrik Mekanik	1100	2100	2200	900	2100	1800(2200P)	2350	1400	4700	3500	4200	2000 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
600 Kg/8 Kış	0,63	Elektrik Mekanik	1100	1400	2200	900	2000	1750(2200P)	1800	1400	3800	3500	3600	2400 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
800 Kg/10 Kış	0,63	Elektrik Mekanik	1350	1400	2300	900	2100	1800(2200P)	2100	1400	3800	3500	3600	2400 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
1000 Kg/13 Kış	0,63	Elektrik Mekanik	1400	1400	2300	1100	2100	2100(2400P)	2100	1400	3700	4000	3600	2200 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
1250 Kg/16 Kış	0,63	Elektrik Mekanik	1750	1400	2300	1100	2100	2250(2400P)	2100	1400	3700	4000	3600	2200 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
1600 Kg/21 Kış	0,63	Elektrik Mekanik	1950	1750	2300	1100	2100	2400 ^B	2950	1400	3900	4000	4200	2600 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
300 Kg/4 Kış	0,63	Hidrolik	900	1000	2200	700	2000	1450(1600P)	1400	1300	3500	2500	1400	2200	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
400 Kg/5 Kış	0,63	Hidrolik	1000	1100	2200	800	2000	1550(1800P)	1500	1300	3500	2500	1500	2200	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
600 Kg/8 Kış	0,63	Hidrolik	1100	1400	2200	900	2000	1650(1950P)	1800	1400	3600	2500	1800	2200	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
800 Kg/10 Kış	0,63	Hidrolik	1350	1400	2200	900	2100	1900(2200P)	1800	1400	3600	2500	1800	2200	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
1000 Kg/13 Kış	0,63	Hidrolik	1100	2100	2200	1100	2100	1850(2200P)	2500	1500	3700	2500	2500	2200	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
1250 Kg/16 Kış	0,63	Hidrolik	1200	2300	2300	1100	2100	1850(2200P)	2700	1500	3800	2500	2700	2200	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
1600 Kg/21 Kış	0,63	Hidrolik	1400	2400	2300	1100	2100	1900(2400P)	2800	1500	3800	3000	2800	2400	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
2000 Kg/26 Kış	0,63	Hidrolik	1500	2700	2300	1400	2100	2500(2500P)	3100	1600	3800	3000	3100	2400	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
2500 Kg/35 Kış	0,63	Hidrolik	1800	2700	2300	1400	2100	2800(2500P)	3100	1600	3800	3000	3100	2400	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
1600 Kg	0,63	Elektrik Mekanik	1400	2400	2300	1300	2100	2300 ^B	2850	1600	4200	3800	4500	2200 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
2000 Kg	0,63	Elektrik Mekanik	1500	2700	2300	1300	2100	2400 ^B	3000	1500	4200	3900	4900	2200 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														
2500 Kg	0,63	Elektrik Mekanik	1800	2700	2300	1400	2100	2700 ^B	3000	2100	5000	4200	4900	2400 ^A	
	1,00														
	1,6														
	2,5														
	0,63														
	1,00														

Konutlar

Konut Dışı Yapılar

Konut ve Konut Dışı Yapılar

Sedye Asansörleri

- 1- Teleskopik kapı için verilen ölçüdür.
- 2- Merkezî kapı için verilen ölçüdür.
- 3- Merkezî ve teleskopik kapı için verilen ölçüdür.
- 4- Makine dairesinin yüksekliğini veren ölçüdür.



